

13.2 Characteristic organic reactions

Name: _____ Class: _____ Date: _____

Total: 11 marks

KEY WORDS fission 断裂 • electrophile 亲电试剂 • addition 加成 • nucleophile 亲核试剂 • substitution 取代

Objective

Build the skills to answer exam questions on **characteristic organic reactions** — bond **fission** 断裂, **nucleophiles** 亲核试剂 and **electrophiles** 亲电试剂, the reaction types, and mechanism terms.

You must be able to:

- use the terms homologous series, saturated/unsaturated, and homolytic/heterolytic fission
- define nucleophile, electrophile, and the reaction types (addition, substitution, etc.)
- describe the free-radical steps and name the main mechanisms

1 Worked examples

■ Breaking bonds

homolytic fission



one electron each
⇒ two **radicals**


heterolytic fission



both electrons to one
⇒ two **ions**

*Homolytic: one electron to each atom (two **free radicals** 自由基). Heterolytic: both electrons to one atom (two ions)*

■ Nucleophiles and electrophiles



A nucleophile (lone pair) attacks an electron-poor centre; an electrophile is drawn to an electron-rich one (e.g. $C=C$)

■ Reaction and mechanism types

addition (two $\rightarrow$ one), **substitution** (swap), **elimination** (lose a small molecule $\rightarrow$ double bond), **hydrolysis** (split by water), **condensation** (join + lose a small molecule). Free-radical reactions go by **initiation** $\rightarrow$ **propagation** $\rightarrow$ **termination**. Main mechanisms: free-radical substitution, electrophilic addition, nucleophilic substitution, nucleophilic addition. A **curly arrow** shows a pair of electrons moving.

2 Practice

2.1 Define a **nucleophile**. [1]

2.2 Name the type of bond fission that produces two free radicals. [1]

3 Exam-style questions

3.1 Heterolytic fission of a covalent bond produces: [1]

- A two free radicals
- B two ions
- C two atoms
- D a double bond

3.2 A reaction in which a small molecule is removed to form a $C=C$ double bond is: [1]

- A addition
- B substitution
- C elimination

- **D** hydrolysis

3.3 (a) State the difference between homolytic and heterolytic fission. [2]

(b) Name the three steps of a free-radical mechanism. [3]

3.4 Explain why a $\text{C}=\text{C}$ double bond is attacked by electrophiles. [2]

Solutions

2.1 a species with a lone pair that is attracted to (attacks) an electron-poor / positive centre.

2.2 homolytic fission.

3.1 B. Heterolytic fission gives both electrons to one atom, producing two ions.

3.2 C. Removing a small molecule to form a double bond is elimination.

3.3 (a) homolytic — the bond splits evenly, one electron to each atom (two radicals); heterolytic — both electrons go to one atom (two ions).

(b) initiation; propagation; termination.

3.4 the C=C bond is an electron-rich region (high electron density); electrophiles are electron-deficient and are attracted to it.