

# 6.6 Motion of Orbiting Satellites

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

Total: 13 marks

**KEY WORDS** satellite 卫星 • kepler's third law 开普勒第三定律 • centripetal force 向心力 • gravity 引力

## Objective

Build the skills to answer exam questions on **the motion of orbiting satellites**.

**You must be able to:**

- explain that **gravity** 引力 provides the centripetal force for a circular orbit
- derive the orbital speed:  $v = \sqrt{\frac{GM}{r}}$
- use **Kepler's third law** 开普勒第三定律:  $T^2 \propto r^3$
- state that a satellite's own mass cancels out

## 1 Worked examples

Study these first. Each one shows the method for a question type used later — follow the steps and you can do the Practice and Exam-style questions yourself.

### ■ Gravity is the centripetal force

For a circular orbit,

$$\frac{GMm}{r^2} = \frac{mv^2}{r} \Rightarrow v = \sqrt{\frac{GM}{r}}.$$

Lower orbits are faster; higher orbits are slower.

### ■ Kepler's third law

The period and radius are linked by

$$T^2 = \frac{4\pi^2}{GM} r^3,$$

so  $T^2 \propto r^3$  – a bigger orbit takes much longer.

### ■ The mass cancels

The satellite's mass  $m$  cancels, so orbital speed and period do not depend on it.

## 2 Practice

---

Now apply the methods above.

**2.1** What provides the centripetal force that holds a satellite in orbit? [1]

---

**2.2** A satellite moves to a lower orbit. State whether its speed increases or decreases. [1]

---

**2.3** Compute the orbital speed where  $GM/r = 4.0 \times 10^7 \text{ m}^2 \text{ s}^{-2}$ . [2]

---

---

**2.4** State whether a heavier satellite at the same radius orbits faster, slower, or the same. [1]

---

## 3 Exam-style questions

---

**3.1** The orbital speed of a satellite depends on [1]

- **A** its own mass
  - **B** the central mass and the orbital radius
  - **C** its colour
  - **D** the launch angle
- 

**3.2** According to Kepler's third law, a larger orbit has a [1]

- **A** shorter period
  - **B** longer period
  - **C** the same period
  - **D** zero period
- 

**3.3** Satellite B orbits at twice the radius of satellite A (same planet).

(a) State how B's orbital speed compares with A's (qualitatively). [1]

- (b) Using  $T^2 \propto r^3$ , state how B's period compares with A's. [2]

**3.4** A satellite orbits where  $GM/r = 2.5 \times 10^7 \text{ m}^2 \text{ s}^{-2}$ .

- (a) Find its orbital speed. [2]  
(b) State whether doubling the satellite's mass changes this speed. [1]

## Solutions

---

**2.1** Gravity.

**2.2** It increases (lower orbits are faster).

**2.3**  $v = \sqrt{4.0 \times 10^7} \approx 6300 \text{ m s}^{-1}$ .

**2.4** The same (mass cancels).

**3.1 B** — the central mass and the orbital radius.

**3.2 B** — a larger orbit has a longer period.

**3.3** (a) B is slower (larger  $r$  gives smaller  $v$ ). (b)  $T^2 \propto r^3$ , so  $T_B/T_A = 2^{3/2} \approx 2.8$  times longer.

**3.4** (a)  $v = \sqrt{2.5 \times 10^7} \approx 5000 \text{ m s}^{-1}$ . (b) No — mass cancels, so the speed is unchanged.