

Mental and Physical Health

AP Psychology • Unit 5

AP Psychology



Mental and Physical Health

What we will cover

- 1 Health Psychology and Stress
- 2 Positive Psychology
- 3 Explaining and Classifying Disorders
- 4 Categories of Disorders
- 5 Treatment

1

Health Psychology and Stress

Mental and Physical Health

↳ Health Psychology and Stress

Health Psychology and Stress

Stressors are not all alike:

- **Eustress** 良性压力 is motivating; **distress** 消极压力 is debilitating.
- Stressors range from **daily hassles** 日常烦扰 to **significant life changes** 重大生活变化 and **catastrophes** 灾难性事件.


Mental and Physical Health
↳ Health Psychology and Stress

Health Psychology and Stress, continued

The **general adaptation syndrome (GAS)** 一般适应综合征 describes the body's response in three stages: **alarm** 警觉期 (the sympathetic system mobilises), **resistance** 抵抗期 (the body copes at a high but sustainable level), and **exhaustion** 衰竭期 (resources run down and vulnerability to illness rises).

Tend-and-befriend theory 照料-结盟理论 proposes that some people respond to stress by caring for others and seeking social support.

The stress response



The damage is done by **stage two**, not stage one. A short alarm is adaptive; the harm comes from resistance that never ends

Stress, and the two ways of coping

stress 压力	the <i>process</i> by which people appraise and respond to demands
stressor 应激源	the demand <i>itself</i> – the two words are not interchangeable
the cost	prolonged stress raises susceptibility to <i>illness</i> , through the immune system
problem-focused 问题聚焦应对	treat the stressor as a problem and work on the <i>cause</i> – suits situations you can control
emotion-focused 情绪聚焦应对	work on your <i>reaction</i> instead – suits situations you cannot change

Neither style is better in general. The mark is for matching the style to the *controllability* of the stressor.

2 Positive Psychology

Positive Psychology

Three findings are examinable:

- Expressing **gratitude** 感恩 raises **subjective well-being** 主观幸福感.
- People who use their **signature strengths** 标志性优势 report higher objective well-being.
- **Posttraumatic growth** 创伤后成长 is positive psychological change that can follow a struggle with trauma.

Positive psychology

the shift	studies what makes life <i>go well</i> , rather than only what goes wrong
well-being 幸福感	subjective well-being combines life satisfaction with the balance of positive and negative <i>affect</i> 情感
broaden-and-build 拓展-建构理论	positive emotions <i>broaden</i> thinking and <i>build</i> lasting personal resources
gratitude 感恩 and resilience 心理韧性	studied as trainable, not fixed
post-traumatic growth 创伤后成长	positive change reported <i>following</i> severe adversity

The claim is not that negative emotion is bad. It is that a psychology built only on disorder describes half its subject.

3 Explaining and Classifying Disorders

Explaining and Classifying Disorders

- **Behavioral** 行为主义: disorders come from maladaptive learned associations.
- **Psychodynamic** 精神动力学: from unconscious conflict.
- **Humanistic** 人本主义: from a lack of acceptance and support.
- **Cognitive** 认知: from maladaptive thought patterns.
- **Evolutionary** 进化: from behaviours that were once adaptive.

Mental and Physical Health
Explaining and Classifying Disorders

How a disorder is explained, and how it is defined

eclectic approach 折衷取向

most psychologists draw on more than one perspective rather than committing to one

biopsychosocial model 生物心理社会模型

biological, psychological and social factors together – the standard framing

diathesis-stress 素质-压力模型

a vulnerability plus a stressor; neither alone is sufficient

deviation from social norms 偏离社会规范

one definition of abnormality – and a culturally loaded one

dysfunction and distress 功能失调与痛苦

the more defensible test: does it impair functioning or cause suffering?

DSM-5-TR 精神障碍诊断与统计手册 classifies; it does not explain. Diagnosis and cause are separate questions, and the exam checks you keep them apart.

Mental and Physical Health
Explaining and Classifying Disorders

Explaining and Classifying Disorders, continued

Classifying a disorder has both benefits and costs. A diagnosis guides treatment and gives access to support, but a label can also carry stigma 污名 and change how a person is treated. Diagnosis requires specialised training and evidence-based criteria.

The diathesis-stress model 素质-压力模型 proposes that a disorder appears when an underlying vulnerability meets sufficient stress – which explains why two people with the same vulnerability may have different outcomes.

Mental and Physical Health
Explaining and Classifying Disorders

What makes it a disorder?

- Behavioral 行为主义: disorders come from maladaptive learned associations.
- Psychodynamic 精神动力学: from unconscious conflict.
- Humanistic 人本主义: from a lack of acceptance and support.
- Cognitive 认知: from maladaptive thought patterns.

Mental and Physical Health
Explaining and Classifying Disorders

What makes it a disorder?, in detail

CRITERION	WHAT IT ASKS	WHY IT IS NOT ENOUGH
DEVIANCE	is it unusual in this culture?	an unusual talent is also unusual
DISTRESS	does it cause suffering?	some conditions cause the person none
DYSFUNCTION	does it prevent ordinary life?	needs a judgement about what is ordinary
DANGER	is there risk of harm?	rare, and its absence proves nothing

No criterion is sufficient alone, and culture enters all four

4 Categories of Disorders

Mental and Physical Health
Categories of Disorders

Vulnerability alone is not a disorder

vulnerability (diathesis) ↑

high vulnerability low stress disorder unlikely

high vulnerability high stress disorder likely

low vulnerability low stress no disorder

low vulnerability high stress disorder unlikely

stress →

- Neurodevelopmental disorders 神经发育障碍 begin during the developmental period, and causes may be environmental, physiological, or genetic.
- Schizophrenic spectrum disorders 精神分裂症谱系障碍 involve positive symptoms 阳性症状 - delusions 妄想 (false beliefs), hallucinations 幻觉 (false perceptions).

Mental and Physical Health └─ Categories of Disorders	
Categories of Disorders	
The CED names a limited set of categories, each with its own features and possible causes. ■ Neurodevelopmental disorders 神经发育障碍 begin during the developmental period, and causes may be environmental, physiological, or genetic. ■ Schizophrenic spectrum disorders 精神分裂症谱系障碍 involve positive symptoms 阳性症状 – delusions 妄想 (false beliefs), hallucinations 幻觉 (false perceptions), disorganized thinking 思维紊乱, and catatonia 紧张症 – and negative symptoms 阴性症状, the absence of typical behaviour such as flat affect 情感淡漠. ■ Depressive disorders 抑郁障碍 involve sad, empty, or irritable mood with related changes in body and thinking. ■ Bipolar disorders 双相障碍 involve periods of mania 躁狂 alternating with periods of depression. ■ Anxiety disorders 焦虑障碍 involve excessive fear or anxiety: specific phobia 特定恐惧症, agoraphobia 广场恐惧症, panic disorder 惊恐障碍 with panic attacks 惊恐发作, social anxiety disorder 社交焦虑障碍, and generalized anxiety disorder (GAD) 广泛性焦虑障碍.	
Mental and Physical Health └─ Categories of Disorders	
Categories of Disorders, continued	
For every category, the exam expects the same two-part shape: the defining features, and the possible causes – biological, genetic, social, cultural, behavioral, and cognitive.	

Mental and Physical Health └─ Categories of Disorders	
The remaining disorder categories	
dissociative disorders 分离障碍 dissociation from consciousness, memory or identity – associated with trauma or stress feeding and eating disorders 进食障碍 altered consumption or absorption of food personality disorders 人格障碍 enduring patterns, in three clusters Cluster A the odd or eccentric – paranoid, schizoid, schizotypal Cluster B the dramatic or erratic – antisocial, borderline, histrionic, narcissistic Cluster C the anxious or fearful – avoidant, dependent, obsessive-compulsive	
“Enduring” is what separates a personality disorder from an episode. It is a pattern across situations and years, not a state.	
Mental and Physical Health └─ Categories of Disorders	
Diagnosis, and two treatments of last resort	
What makes it a disorder Dysfunction, deviance, and personal distress – and the harm to daily functioning that distinguishes a disorder from an unusual habit. OCD and related Obsessive-compulsive and related disorders: intrusive thoughts and the rituals that briefly reduce the anxiety, which is what maintains them. PTSD Posttraumatic stress disorder (PTSD): re-experiencing, avoidance, hyperarousal and negative mood after a traumatic event. Biomedical treatments Lithium stabilises mood in bipolar disorder; electroconvulsive therapy (ECT) is used for severe depression that has not responded to anything else.	
Emotion-focused coping changes the reaction, problem-focused coping changes the situation. Which is better depends entirely on whether the stressor is controllable.	

Mental and Physical Health └─ Treatment	
Treatment	
Clinicians must follow ethical principles, including informed consent 知情同意, confidentiality 保密, and working within their competence. ■ Psychodynamic therapies 精神动力学治疗 use free association 自由联想 and dream interpretation to uncover unconscious material. ■ Cognitive therapies 认知疗法 use cognitive restructuring 认知重构 and fear hierarchies 恐惧等级表 to change maladaptive thinking. ■ Applied behavior analysis 应用行为分析 applies conditioning principles, including systematic desensitization 系统脱敏 and token economies 代币制.	

Mental and Physical Health
Treatment

Treatment: cognitive and biomedical

- **Cognitive-behavioral therapies** 认知行为疗法, such as **dialectical behavior therapy** 辩证行为疗法 and **rational-emotive behavior therapy** 理性情绪行为疗法, combine both.
- **Person-centered therapy** 以人为中心疗法, from the humanistic perspective, uses **active listening** 积极倾听 and unconditional positive regard.

Mental and Physical Health
Treatment

What the evidence says about treatment

meta-analyses 元分析of psychotherapy conclude that therapy **is effective**

psychotropic medication 精神药物治疗its rise changed practice, and moved much treatment out of institutions

hypnosis 催眠effective for **pain and anxiety**; research does **not** support using it to recover memories

antidepressants 抗抑郁药mostly act on serotonin – SSRIs are reuptake inhibitors

anxiolytic drugs 抗焦虑药typically enhance GABA, the inhibitory transmitter

antipsychotics 抗精神病药block dopamine receptors

Notice the loop back to unit 1: each drug class is an agonist, antagonist or reuptake inhibitor for a named transmitter. The mechanism is the mark.

Mental and Physical Health
Treatment

Worked example – an “identify” part

2025 Article Analysis: “*Identify at least one ethical guideline applied by the researchers.*”

- **Full marks:** “*The researchers obtained informed consent from participants before the study began.*”
- **Identify** wants a named guideline pointed to *in the study* – not an essay on ethics.

Read the command word first. Identify, describe and explain want three different lengths of answer, and writing more than asked can cost time without earning a mark.

Mental and Physical Health
Treatment

Exam tips

- Use the three considerations together – **dysfunction**, **distress**, **deviation** – when a question asks what makes behaviour disordered.
- For **diathesis-stress**, name both halves. A vulnerability with no stressor, or a stressor with no vulnerability, is the point of the model.
- Keep **positive** and **negative** symptoms straight: positive means something *added* (hallucinations), negative means something *missing* (flat affect).
- Match therapy to perspective. Free association is psychodynamic; cognitive restructuring is cognitive; systematic desensitization is behavioral.
- **Obsessions** are thoughts, **compulsions** are actions.
- Read the task verb. **Identify** wants a name, **Describe** wants detail, **Explain** wants a reason with evidence.

Mental and Physical Health
Treatment

Therapies, by what they blame

- **psychodynamic** 精神动力学 – free association; unconscious conflict
- **cognitive** 认知 – restructure the interpretation
- **behavioural** 行为 – unlearn the response

Match the therapy to what it blames.

Mental and Physical Health
Treatment

Therapies, by what they blame, in detail

APPROACH	THINKS THE PROBLEM IS	SO IT
PSYCHODYNAMIC	unresolved conflict outside awareness	brings it into awareness and interprets it
HUMANISTIC	a self blocked from growing	provides acceptance so growth resumes
BEHAVIOURAL	a learned response	unlearns it — exposure, conditioning
COGNITIVE	the way events are interpreted	tests and replaces the interpretation
BIOMEDICAL	a difference in brain chemistry	changes the chemistry — medication

Read the middle column and the third follows

6

Recap

Mental and Physical Health
└─Recap

Unit 5 – key takeaways

1 Disorder

dysfunction + distress +
deviation

2 Diathesis–stress

need *both* vulnerability and a
stressor

3 Symptoms

positive = added; negative =
missing

4 Therapy

match the method to the
perspective

Mental and Physical Health
└─Recap

Check yourself

- 1 Hallucinations: positive or negative symptom?
- 2 Free association belongs to which perspective?
- 3 Obsession vs compulsion?
- 4 Why is vulnerability alone not a disorder?

Answers: positive ▪ psychodynamic ▪ thought vs action ▪ diathesis–stress needs a stressor too