

# 1.8 Pressure

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

Total: 23 marks

**KEY WORDS** pressure 压强 • depth 深度 • density 密度 • force 力 • weight 重力

## Objective


Build the skills to answer exam questions on **pressure** 压强 —  $p = \frac{F}{A}$ , and **pressure in a liquid**  $\Delta p = \rho g \Delta h$ .

**You must be able to:**


- use  $p = \frac{F}{A}$  and explain area effects (sharp knife, snowshoes)
- use  $\Delta p = \rho g \Delta h$  for pressure with depth
- state that liquid pressure acts in all directions and grows with depth

## 1 Worked examples

### ■ Pressure in a liquid



*Pressure increases with depth and with density:  $\Delta p = \rho g \Delta h$*



gas particles hit the walls — each hit is a tiny force.  
Pressure = force per unit area

*Gas pressure comes from particles colliding with the walls*

**Depth 2.0 m in water** ( $\rho = 1000$ ,  $g = 10$ ):  $\Delta p = 1000 \times 10 \times 2.0 = 20\,000$  Pa.

**Area effect:** a small area under a force gives a large pressure.

### ■ Choosing the right pressure equation

Use  $p = \frac{F}{A}$  for a **solid pressing on a surface**: the force is the weight (or the push) and the area is the area in contact. Use  $\Delta p = \rho g \Delta h$  for the pressure **inside a liquid** at a depth: it does not depend on the shape or the width of the container, only on the depth and the density.

△ Convert areas before substituting. An area given in  $\text{cm}^2$  must become  $\text{m}^2$  by dividing by 10 000, because  $1 \text{ m}^2 = 100 \times 100 = 10\,000 \text{ cm}^2$ .

**Worked example 1 (solid).** A block of weight 16 N rests on a face measuring 4.0 cm by 5.0 cm.

1. Area =  $4.0 \times 5.0 = 20 \text{ cm}^2 = 20 \div 10\,000 = 0.0020 \text{ m}^2$ .
2.  $p = \frac{F}{A} = \frac{16}{0.0020} = 8000 \text{ Pa}$ .

**Worked example 2 (liquid, then force).** An oil tank has a base of area  $2.5 \text{ m}^2$  and holds oil of density  $800 \text{ kg/m}^3$  to a depth of 1.2 m. Take  $g = 10 \text{ N/kg}$ .

1. Pressure at the base:  $\Delta p = \rho g \Delta h = 800 \times 10 \times 1.2 = 9600 \text{ Pa}$ .
2. Force on the base: rearrange  $p = \frac{F}{A}$  to  $F = pA = 9600 \times 2.5 = 24\,000 \text{ N}$ .

Pressure in a liquid acts in **all directions** and grows with depth, which is why a dam is thicker at the bottom.

## 2 Practice

---

**2.1** A force of 200 N acts on an area of 0.50 m<sup>2</sup>. Find the pressure. [2]

---

---

**2.2** State why a sharp knife cuts more easily than a blunt one. [1]

---

**2.3** A box of weight 60 N stands on a base of 0.25 m<sup>2</sup>. Calculate the pressure on the floor. [2]

---

---

**2.4** A block rests on a face of 20 cm<sup>2</sup>. Convert this area into m<sup>2</sup>. [1]

---

## 3 Exam-style questions

---

**3.1** The pressure in a liquid increases with: [1]

- **A** depth only
- **B** density only
- **C** both depth and density
- **D** neither

---

**3.2** A diver is 15 m below the surface of sea water of density 1030 kg/m<sup>3</sup> ( $g = 10$  N/kg).

(a) Find the extra pressure due to the water. [2]

---

---

(b) State the direction(s) in which this pressure acts on the diver. [1]

---

**3.3** A box weighing 240 N stands on the ground on a base of area 0.30 m<sup>2</sup>. Find the

pressure it exerts on the ground. [2]

---

---

**3.3** A rectangular water tank has a base of area  $3.0 \text{ m}^2$  and is filled with water to a depth of  $1.5 \text{ m}$ . The density of water is  $1000 \text{ kg/m}^3$  and  $g = 10 \text{ N/kg}$ .

(a) Calculate the pressure due to the water at the base of the tank. [2]

(b) Calculate the force the water exerts on the base. [2]

(c) A second tank has the same depth of water but twice the base area. State and explain how the pressure at its base compares with your answer to (a). [2]

---

---

(d) A concrete block of weight  $750 \text{ N}$  stands on the ground on a face measuring  $50 \text{ cm}$  by  $30 \text{ cm}$ . Calculate the pressure it exerts on the ground. [3]

(e) Explain why the walls of a dam are made thicker at the bottom than at the top. [2]

---

---

## Solutions

---

**2.1**  $p = \frac{F}{A} = \frac{200}{0.50} = 400 \text{ Pa}.$

**2.2** its edge has a very small area, so the same force gives a very large pressure.

**3.1 C.** Liquid pressure increases with both depth and density.

**3.2** (a)  $\Delta p = \rho g \Delta h = 1030 \times 10 \times 15 = 154\,500 \text{ Pa}.$

(b) in all directions.

**3.3**  $p = \frac{F}{A} = \frac{240}{0.30} = 800 \text{ Pa}.$

**2.3**  $p = \frac{F}{A} = \frac{60}{0.25} = 240 \text{ Pa}.$

**2.4**  $20 \div 10\,000 = 0.0020 \text{ m}^2.$

**3.3** (a)  $\Delta p = \rho g \Delta h = 1000 \times 10 \times 1.5 = 15\,000 \text{ Pa}.$

(b)  $F = pA = 15\,000 \times 3.0 = 45\,000 \text{ N}.$

(c) The pressure is the same, because  $\Delta p = \rho g \Delta h$  depends only on the depth and the density, not on the area or shape of the container.

(d)  $\text{Area} = 50 \times 30 = 1500 \text{ cm}^2 = 0.15 \text{ m}^2$ ;  $p = \frac{750}{0.15} = 5000 \text{ Pa}.$

(e) The pressure in the water increases with depth, so the wall must be thicker at the bottom to withstand the greater outward force there.